



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Re application of:

Vivek Agarwal; Victor Prince Sundarsingh  
Serge Bontemps and Alain Calmels

U.S. Serial No. 10/689,863

Group Art Unit 2838

Filed: October 20, 2003

For: POWER CONVERTER METHOD AND APPARATUS  
HAVING HIGH INPUT POWER FACTOR AND LOW  
HARMONIC DISTORTION

Confirmation No. 3341

Mail Stop Amendment  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, Virginia 22313-1450

I HEREBY CERTIFY THAT  
THIS CORRESPONDENCE IS  
BEING DEPOSITED WITH THE  
U.S. POSTAL SERVICE AS FIRST-  
CLASS MAIL ADDRESSED TO:

☐ Mail Stop  
Director USPTO  
☒ Mail Stop Amendment  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450  
☐ Box  
Commissioner for Trademarks  
2900 Crystal Drive  
Arlington, VA 22202-2913  
on 13 Oct 2004  
*[Signature]*

INFORMATION DISCLOSURE STATEMENT

Applicant submits herewith PTO Form 1449 and copies of patents and publications of which he is aware which may be material to the examination of this application and in respect of which there may be a duty to disclose in accordance with 37 CFR Section 1.56.

Applicant includes on the 1449 the references numbered 1-51 listed in the specification pages 2-7, with the exception of references numbered 1; 23; 27, 18 and 39 which will be provided in a Supplemental Information Disclosure Statement. Also included are references cited in the International Search Report, copy enclosed, in corresponding PCT/US 03/33419.

Respectfully submitted,

20575  
Customer No.

MARGER JOHNSON & McCOLLUM, P.C.

By *[Signature]*  
Alexander C. Johnson, Jr.  
Registration No. 29,396

1030 S.W. Morrison Street  
Portland, Oregon 97205  
Telephone: (503) 222-3613

cc: Dah Wen Tsang



Sheet 1 of 5

**Form PTO-1449 (modified)**  
**INFORMATION DISCLOSURE CITATION**Atty. Docket No.  
1138-102Serial No.  
10/689,863Applicant:  
Agarwal, et al.Filing Date  
October 20, 2003Group  
2838**U.S. Patent Documents**

Initial	Document Number	Date	Name	Class/Subclass
_____	5,302,858	04/12/94	Folts	HO2J 9/06

**Foreign Patent Documents**

Examiner Initial	Document Number	Date	Country	Name	Class/ubclass
_____	01140014.5	11/20/01	China	Wang	H02M 1/12

**Non-Patent Documents****Other Documents (including Author, Title, Source, Date, Pertinent Pages)**

\_\_\_\_\_ Schlecht, M.F. and Miwa, B.A., "Active power factor correction for switching power supplies," IEEE Transactions Power Electronics, Vol. 2, No. 4, pp. 273-281, 1987.

\_\_\_\_\_ Akagi, H., "Trends in active power line conditioners," IEEE Transactions on Power Electronics, Vol. 9, pp. 263, May 1994.

\_\_\_\_\_ Redl, R.; Balogh, L. and Sokal, N., "A new family of single stage isolated power factor correctors with fast regulation of the output voltage," IEEE Power Electronics Specialists Conference, pp. 1137-1144, 1994.

\_\_\_\_\_ Erickson, R.; Madigan, M. and Singer, S., "Design of a simple high-power-factor rectifier based on the flyback converter," IEEE Applied Power Electronics Conference and Exposition, pp. 792 - 801, 1990.

\_\_\_\_\_ Prasad, A.R.; Ziogas, P.D. and Manias, S., "A new active power factor correction method for single phase buck boost AC - DC converter," Proceedings of APEC, pp. 814 - 820, 1992.

\_\_\_\_\_ Yang, Eric X.; Jiang, Y.; Hua, G. and Lee, F.C., "Isolated boost circuit for power factor correction," Proceedings of APEC, pp. 196 - 203, 1993.

Examiner

Date Considered

\*Examiner: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

**Form PTO-1449 (modified)**  
**INFORMATION DISCLOSURE CITATION**

 Atty. Docket No.  
 1138-102

 Serial No.  
 10/689,863

 Applicant:  
 Agarwal, et al.

 Filing Date  
 October 20, 2003

 Group  
 2838

Kheraluwala, M. ; Steigerwald, R. and Gurumoorthy, R., "A fast response high power factor converter with a single power stage," IEEE Power Electronics Specialists Conference, pp. 769-779, 1991.

Daniele, Matteo ; Jain, Praveen K. and Joos, Geza, "A single-stage power-factor-corrected AC/DC converter," IEEE Transactions on Power Electronics, Vol. 14, No. 6, pp. 1046 – 1055, Nov. 1999.

Wei, H.; Batarseh, Issa; Zhu, G. and Kornetzky, P., "A single-switch AC-DC converter with power factor correction," IEEE Trans. on Power Electronics, Vol. 15, No. 3, pp. 421 – 430, May 2000.

Tacca, H.E., "Power Factor Correction using merged flyback-forward converters," IEEE Transactions on Power Electronics, Vol. 15, No. 4, pp. 585 – 594, July 2000.

Jovanovic, M.M. ; Tsang, D.M.C. and Lee, F.C., "Reduction of voltage stress in integrated high quality rectifier regulators by variable frequency control," Proceedings of Applied Power Electronics Conference (APEC), pp. 569 – 575, 1994

Bontemps, Serge and Grafham, Denis, "Low-loss resonant gate drive saves energy and limits EMI in 3.5kW hard-switched PFC boost-converters," PCIM 2002 (Europe), Nuremberg, Germany.

Joshi, Madhuwanti and Agarwal, Vivek , "EMI mitigation in power electronic circuits operating at high power factor," Proceedings of the IEEE International Conference on Industrial Technology 2000, Goa India, pp. 267 – 271.

Shet, V.N., "Power Factor Correction in Power Converters," Ph.D. Dissertation, Dept. of Electrical Engineering, IIT-Bombay, 2002.

Stratford, R.P., "Rectifier harmonics in power systems," IEEE Trans. Ind. Appl. Vol. IA-16, pp. 271-276, 1980.

Shepherd, W. ; Zand, P., "Energy flow and power factor in nonsinusoidal circuits," (London: Cambridge University Press), 1979.

Schwarz, F.C. , "A time-domain analysis of the power factor for a rectifier filter system with over and subcritical inductance," IEEE Trans. Ind. Electron. Control Instrum., IECI-20(2), pp. 61-68, 1973.

Vorperian, V.; Ridley, R., "A simple scheme for unity power-factor rectification for high frequency AC buses," IEEE Trans. Power Electron 5, pp. 77-87, 1990.

Examiner

Date Considered

\*Examiner: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

**Form PTO-1449 (modified)****INFORMATION DISCLOSURE CITATION**Atty. Docket No.  
1138-102Serial No.  
10/689,863Applicant:  
Agarwal, et al.Filing Date  
October 20, 2003Group  
2838

Jain, P. , "A unity power factor resonant AC/DC converter for high frequency space power distribution system," IEEE Power Electron. Spec. Conf., Rec. 1, 1994.

Prasad, A.R.; Ziogas, P.D.; Manias, S., "A novel passive waveshaping method for single phase diode rectifiers," IEEE Trans. Ind. Electron., IE-37, pp. 521-530, 1990.

Lai, Jih-Sheng ; Hurst, D.; Key, T., "Switch mode power supply power factor improvement via harmonic elimination methods," IEEE Appl. Power Electron. Conf., Rec., pp. 415-422, 1991.

Prasad, A.R.; Ziogas, P.D.; Manias, S., "A Comparative evaluation of SMR converters with and without active input waveshaping," IEEE Trans. Ind. Electron. IE-35(3), pp. 461-468, August, 1988.

Mohan, N. ; Undeland, T.M., Ferraro, R.J., "Sinusoidal line current rectification with a 100kHz BN-SIT step up converter," IEEE Power Electron. Spec. Conf., Rec., pp. 92-98, 1984.

Enjeti, P.N.; Martinez, R., "A high performance single phase AC to DC rectifier with input power factor correction," IEEE Appl. Power Electron. Conf., Rec., pp. 196-203, 1993.

Dawande, M.S.; Dubey, G.K., "Bang bang current control with predecided switching frequency for switch mode rectifiers," IEEE Power Electron Drives Syst. Conf., Rec., pp. 538-542, 1995.

Zhou, C.; Ridley, R.B.; Lee, F.C., "Design and analysis of hysteretic boost power factor correction circuit," IEEE Power Electron. Spec. Conf., Rec., pp. 800 - 807, 1990.

Spangler, J.J. ; Behera, A.K. , "A comparison between hysteretic and fixed frequency boost converters used for power factor correction," IEEE Appl. Power Electron. Conf., Rec., pp. 281-286, 1993.

Tang, W. ; Lee, F.C. ; Ridley, R.B.; Cohen, I. , "Charge control : Modeling, analysis and design," IEEE Power Electron. Spec. Conf., Rec., pp. 503-511, 1992.

Tang, W. ; Jiang, Y.M.; Hua, G.C.; Lee, F.C.; Cohen, I., "Power factor correction with flyback converter employing charge control," IEEE Appl. Power Electron. Conf., Rec., pp. 293-298, 1993.

Endo, H.; Yamashita, T. ; Sugiura, T., "A high power factor buck converter," IEEE Power Electron. Spec. Conf., Rec., pp. 1071-1076, 1992.

Maksimovic, D.; Erickson, R., "Universal-input, high-power-factor, boost doubler rectifiers," IEEE Appl. Power Electron. Conf., Rec., pp. 459-465, 1995.

Examiner

Date Considered

\*Examiner: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

**Form PTO-1449 (modified)****INFORMATION DISCLOSURE CITATION**Atty. Docket No.  
1138-102Serial No.  
10/689,863Applicant:  
Agarwal, et al.Filing Date  
October 20, 2003Group  
2838

Mwinyiwiwa, Bakari M.M.; Birks, P.M.; Ooi, Boon-Teck, "Delta-modulated buck-type PWM converter," IEEE Trans. Ind. Appl. 28, pp. 552-557, 1992.

Ooi, Boon-Teck; Mwinyiwiwa, Bakari M.M.; Wang, X., Joos, G., "Operating limits of the current-regulated delta-modulated current-source PWM rectifier," IEEE Trans. Ind. Appl., 38, pp. 268-274, 1991.

Todd, P.C., UC 3854, "Controlled power factor correction circuit design," Unitrode-Product Applications Handbook, Lexington, MA, 1993-94.

Oruganti, R. and Palaniapan, M., "Inductor voltage controlled variable power factor buck – type AC–DC converter," Proceedings of Power Electronics Specialists Conference (PESC), pp. 230 – 237, 1996.

Oruganti, R. and Srinivasan, Ramesh, "Single phase power factor correction – A review," Sadhana, vol. 22, part 6, pp. 753 –780, 1997.

Prasad, A.R. , Ziogas, P.D., Manias, S. , "A novel passive waveshaping method for single phase diode rectifiers," IEEE Tran. Ind. Electron., IE-37, pp. 521 – 530, 1990.

Takahashi, I., Igarashi, R.Y., "A switching power supply of 99% power factor by the dither rectifier," IEEE International Telecommunication Energy Conference Record, pp. 714-719, 1991.

Madigan, M.; Ericson, R.; Ismail, E., "Integrated high quality rectifier regulators," IEEE Power Electronic. Spec. Conference, pp. 1043 – 1051, 1992.

Elmore, M.S. ; Peterson, W.A.; Sherwood, S.D., "A power factor enhancement circuit ," IEEE Applied Power Electron. Conf. Record, pp. 407 – 414, 1991

Agarwal, Vivek; Sundarsingh, V. P.; Bontemps, Serge and Grafham, Denis, "A Smart Power Converter Module for Buck Applications Operating at High Input Power Factor," Proceedings of the 28<sup>th</sup> Annual Conference on Industrial Electronics, Control and Instrumentation (IECON), Sevilla, Spain, pp. 858-863, 2002

Agarwal, Vivek ; Sundarsingh, V.P.; Bontemps, Serge; Calmels, Alain and Grafham, Denis , "Novel single-switch isolated 42V/1kW battery charger module uses converter operating at near-unity Power Factor," Proceedings of PCIM - 2003, Nuremberg, Germany, May 20-22, 2003

Umanand, L. and Bhat, S.R. , "Design of magnetic components for switched mode power converters", First Edition, Willey Eastern Limited, 1992.

Examiner

Date Considered

\*Examiner: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

**Form PTO-1449 (modified)****INFORMATION DISCLOSURE CITATION**Atty. Docket No.  
1138-102Serial No.  
10/689,863Applicant:  
Agarwal, et al.Filing Date  
October 20, 2003Group  
2838

\_\_\_\_ Zhang, Y.F.; Yang, L. and Lee, C.Q., "EMI reduction of power supplies by Bi- Frequency modulation,"  
Proceedings of the Ninth Annual Applied Power Electronics Conference and Exposition, pp. 601 – 607, 1994

\_\_\_\_ Garcia, O.; Cobos, J.A.; Alou, P.; Prieto, R.; Uceda, J. and Ollero, S., "A New Family of Single State AC/DC  
Power Factor Correction Converters with Fast Output Voltage Regulation," Power Electronics Specialists  
Conference, 1997, PESC '97 record, 28<sup>th</sup> annual IEEE, St. Louis, MO, 22-27 June 1997, New York, NY IEEE,  
US 22 June 1997, pp. 536-542

\_\_\_\_ Nagao, Michihiko, "One Stage Forward-Type Power Factor Correction Circuit," Power Electronics Specialists  
Conference, 1997, PESC '97 Record, 28<sup>th</sup> Annual IEEE, St. Louis, MO, 22-27 June 1997

\_\_\_\_ European Committee for Electrotechnical Standardization (CENELEC), Electromagnetic compatibility  
(EMC), Part 3. Limits, Section 3. Limitation of voltage fluctuations and flicker in low-voltage supply systems  
for equipment with rated current 16A, European Standard EN 61000-3-3, January 1995

Examiner

Date Considered

\*Examiner: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.